

10110/CLC
BuyLine 3119
Catalog No. 105



Claridge®



MANUFACTURING


the

FUTURE

For 58 Years


Marker & Tack Walls Factory Built Units

Factory Built Typical Board Arrangements




Series 4 Type CO and Type A shown with optional radius corners.


Typical Chalkboard & Tackboard Arrangements




Type A




Type CO




Type BR (Tackboard on Right) — Type BL (Tackboard on Left)




Type C




Type D




Type ER (Tackboard on Right) — Type EL (Tackboard on Left)



Type F



Type GR (Tackboard on Right) — Type GL (Tackboard on Left)



Type H

Factory Built Units


Features:

- Dry-erase markerboards in LCS Porcelain enamel steel
- Chalkboards in 24 ga. porcelain enamel steel Vitracite or in Duracite
- Bulletin boards in Claridge Cork, Fabricork, Designer Fabric, Hook-Fab, or Tan Nucork
- Satin anodize aluminum frame
- Maximum length in one piece is 16'0" (12'0" where noted)
- For longer lengths, single units may be placed end to end to fit long wall spaces
- Maximum height for Type A and Type CO units is 4'0"
- O.A. panel thickness is approx. 1/2"
- Combination units are made by adding together each type of board required for that combination



Options

- Frame can be Duracolor, color anodize, or powder coat finish aluminum
 - Map rail and chalktray are optional on all tack board surfaces
 - If shop drawings indicate that boards are jointed, they will be fitted at the factory with proper joint moldings
 - Radius corners available on Series 4 units only
- Installation using 16A adhesive is recommended. Screws or wall anchors are not included. Freight class 70.


SERIES 1



- Perimeter trim is 1 1/2" wide.
- Furnished with angle clip hangers 2' on center, top and bottom.




Series 1



Series 3



SERIES 3

- Perimeter trim is 1 1/4" wide.
- Furnished with angle clip hangers 2' on center, top and bottom.



SERIES 4

- Perimeter trim is 5/8" wide.
- Furnished with clip angle hangers 2' on center, top and bottom.



Series 4

Type BR shown with optional full length maprail and chalktrough.

Hook-Fab Nylon/Polyester Blend Wall Covering and Bulletin Boards


Hook-Fab is a versatile product that can be used with hooktape as well as thumbtack and pushpin. We offer it in laminated panel form, fabric with cork underlay or as fabric only.

- Available in five pleasing, vibrant colors
- Renowned for its resistance to soil, staining and abrasion
- Resists moisture and mildew
- Lightweight and pliable, yet durable enough to stand up to heavy usage

Hook-Fab Non Woven Bulletin Board Fabric

NO.	DESCRIPTION	WT. LBS.	MAX. LENGTH	MAX. HT.
930	Fabric on cork underlay	1/2	16'	48"
934	Fabric on cork underlay on 1/4" hardboard	1 1/2	16'	48"
934EW	Same as No. 934, except edges are wrapped	1 1/2	16'	48"
935	Fabric on fire retardant Duracore	1	12'	48"
935EW	Same as No. 935, except edges are wrapped	1	12'	48"
936	Hook-Fab fabric only - 60" wide	1/16	135'	60"
923	Claridge Self-gripping Hooktape, pre-glued, pressure-sensitive back, available in 1" wide by 7' long rolls. Easily cut to size.			

Hook-Fab Bulletin Boards



- No. 930**
Hook-Fab with
cork underlay
- No. 934**
Hook-Fab on
cork underlay on
1/4" hardboard

All Hook-Fab bulletin boards (except No. 936 which is 60") are priced on the basis of 4' height and 1' increments in length. When cut to other than stock sizes there will be a cutting charge. There is a packing charge on all orders (except Nos. 930 and 936) of less than 200 sq. ft.

Sizes up to 4' x 4' and unmounted cork up to 100 lbs. can ship UPS or FedEx Ground. Balance of items shipped motor freight, class 70.

Tan Nucork Natural Cork Bulletin Boards

Claridge Tan Nucork without burlap back is the finest pure grain natural cork available. Tan Nucork is the most economical poster board for bulletins, announcements, classwork maps, etc. wherever a bulletin board is required.

- Smooth resilient surface remains soft and pliable indefinitely.
- Pins and thumbtacks can be inserted easily and are gripped firmly.
- Punctures heal quickly, so the holding qualities of Nucork are not injured by repeated usage.
- Meets Military Spec MIL-C-15116, Type II.

Tan Nucork Bulletin Boards

	No. 150 and *No. 150 FR FIRE RATED	No. 380A	No. 550
Standard Lengths	Approx. 115"	Up to 16'	Up to 16'
Standard Height	Up to 4'	Up to 4'	Up to 4'
Weight	1/4 lb. per sq. ft.	3/4 lb. per sq. ft.	1 1/4 lbs. per sq. ft.
Thickness of Cork	Approx. 1/4"	Approx. 1/8"	Approx. 1/4"
Thickness Overall	Approx. 1/4"	Approx. 1/2"	Approx. 1/2"
Backing	None	Duracore	Hardboard

*No. 150FR Nucork has a B-Class fire rating based on ASTM E-84 tunnel test as follows: Flame Spread - 65, Smoke Developed - 70.

**Lengths of rolls vary. Billing will be on basis of actual square footage shipped.


All unmounted Nucork is shipped oversize for cutting to exact size on the job.

Sizes up to 4' x 4' and unmounted cork up to 100 lbs. can ship UPS or FedEx Ground. Balance of items shipped motor freight, class 70.

Hook-Fab Bulletin Board Colors



No. 941 Granite



No. 948 Sapphire



No. 949 Cloud



No. 946 Gypsy Blue



No. 947 Black

Color swatches may not be an exact match. Send for actual sample if color is critical.


Tan Nucork Bulletin Boards

No. 150
or 150FR

No. 380A

No. 550






Claridge Cork, Tan Nucork & Hook-Fab Bulletin Boards

Claridge Cork Bulletin Boards

Environmentally Friendly. Always Looks Like New.


Claridge Cork Bulletin Board is made from pure natural ingredients that combine under heat and pressure to create a smooth, uniformly dense, suede-like surface of unsurpassed beauty and durability. Expanded range of 12 contemporary colors that go all the way through to the burlap backing. Plus all of the following features...

- Self healing surface.
- Soil resistant, washable surface.
- Tacks insert easily, are gripped firmly.
- Low light reflection.
- Dimensionally stable all directions.
- Will not warp or crumble.
- Naturally inhibits bacterial growth.
- No toxins or harmful emissions.




1/8" Mounted Cork

38A Tan
38DS Desert Sand



1/4" Unmounted Cork

1100 Tan	1111 Smoke
1105 Desert Sand	1113 Steel Gray
1107 Denim	1114 Green
1108 Caribbean	1115 Black
1109 Buff	1118 Coral
1110 Fawn	1119 Lilac Mist



1/4" Mounted Cork

1106 Tan	1126 Fawn
1112 Desert Sand	1127 Smoke
1120 Black	1128 Coral
1121 Denim	1129 Lilac Mist
1122 Steel Gray	1130 Caribbean
1125 Green	1131 Buff

	1/8" MOUNTED CORK	1/4" UNMOUNTED CORK	1/4" MOUNTED CORK
Standard Lengths	Up to 16'	Up to 90'	Up to 16'
Standard Height	Up to 4'	Up to 4'	Up to 4'
Weight	1 lb. per sq. ft.	1 lb. per sq. ft.	2 1/2 lbs. per sq. ft.
Thickness of Cork	Approx. 1/8"	Approx. 1/4"	Approx. 1/4"
Backing	Burlap on Duracore	Heavy Burlap	Burlap on Hardboard
Thickness Overall	Approx. 1/2"	Approx. 1/4"	Approx. 1/2"

Claridge Cork Bulletin Board Colors



Claridge Cork Bulletin Board color swatches may not be exact match. Send for actual sample if color is critical.

STANDARD SIZES: Mounted and Unmounted Bulletin Boards are priced on the basis of 4' height and 1' increments (up to 16') in length. All unmounted Claridge Cork is shipped oversize for cutting to exact size on the job.

FULL ROLLS: Lengths of rolls vary from slightly under 90' to slightly over 90'. Invoicing will be on the basis of actual square footage shipped. All rolls are figured on the basis of full 4' heights.

CUTTING CHARGE and PACKING CHARGE: A cutting charge and/or a packing charge may apply.

ADHESIVES: No. 15 Adhesive for mounting bulletin board sheets not laminated to a backer board. Coverage varies depending on wall conditions. Weight per gallon 13 lbs. Available in 1 and 4 gallon pails. No. 16A Adhesive for erecting bulletin boards, chalkboards, chalkboard skins and mounted bulletin board panels. Weight per gallon 10 lbs. One gallon covers approximately 80 sq. ft. Available in 1 and 5 gallon pails. No. 17 Adhesive for erecting Fabriccork fabric only, No. 3106 Designer fabric and No. 936 Hook-Fab fabric only. Weight per gallon 10 lbs. One gallon covers 120 sq. ft.

SPECIAL WALL APPLICATION USING FABRICORK, HOOK-FAB, CLARIDGE CORK AND DESIGNER SERIES FABRIC: Applications using these materials for covering a large section of a wall cannot be guaranteed to be a perfect match. Slight shade variations may occur. Color consistency depends on many things, including the product itself. Each lighting system may give a different shading effect. The above products may indeed be the same color but appear to have different shades of color.

Unmounted cork up to 100 lbs. and mounted cork up to and including 3' x 4' can ship UPS or RPS. Balance of items shipped motor freight, Class 70.


Fabricork Bulletin Boards

This superior quality fabric will wear almost indefinitely and stay new-looking for years.


- 20 beautiful colors
- Fabricork is entirely washable
- Spots and soil wash away with household soap and water

The panels used to provide backing for edge-wrapped Fabricork are a wood fiber product which may be affected by climatic conditions. Where wall areas are to be covered, we recommend that a fabric covered **H bar** (illustrated below) be used for joining panels. To make a perfect job we also recommend vinyl covered edge molding and corner trim (not illustrated) for end of runs and corners. This prevents open joints or curled edges which might otherwise occur under certain climatic conditions.

Freight class 70.



No. 1550 with H-Bar



No. 1500 in Rolls

Note: Color swatches may not be an exact match - send for actual sample if color is critical. See special wall application note on page 9.

Number	Standard Lengths	Description	Approx O.A. Thickness	Weight Sq. Ft.
1380	Up to 16'	Fabric on cork underlay on Duracore	1/2"	1 lb.
1380EW	Up to 16'	Fabric on cork underlay on Duracore	1/2"	1 lb.
1380A	Up to 16'	Fabric on Duracore	7/16"	1 lb.
1380AEW	Up to 16'	Fabric on Duracore	7/16"	1 lb.
1380AB	Up to 16'	Fabric on Duracore	1/2"	1 lb.
1380ABEW	Up to 16'	Fabric on Duracore	1/2"	1 lb.
1381FR	Up to 12'	Fabric on flame retardant Duracore*	1/2"	1 lb.
1381FREW	Up to 12'	Fabric on flame retardant Duracore*	1/2"	1 lb.
1550	Up to 16'	Fabric on cork underlay on Hardboard	1/2"	2 lbs.
1550EW	Up to 16'	Fabric on cork underlay on Hardboard	1/2"	2 lbs.
1500	**Up to 100'	Fabric on cork underlay	1/4"	1/2 lb.


STANDARD SIZES: Fabricork boards are priced on the basis of 4' height and 1' increments in length.

EDGE-WRAPPED: EW after item number indicates edges are wrapped.


*Fire retardant Duracore Backer Board has a Class A Fire Rating as follows - Flame Spread 25, Fuel Contributed 20, Smoke Developed 0.

**All #1500 Fabricork is shipped oversize for cutting to exact size on job.


Fabricork Colors



F581 Academy Gray




F560 Dusk Blue




B221 Beige




C623 Slate Gray




F573 Pearl Gray




F559 Dawn Blue




B220 Antique White




C621 Opal



F595 Slate Green




F593 Mauve




F578 Off White




C622 Jade Mist




F577 Mist Green




F580 Blush




F571 Champagne




C620 Dover




F223 Frost



F592 Cream




T422 Natural



T421 White

Designer Series Fabric Colors




No. 1688
Seafoam



No. 1689
Wedgewood




No. 1684
Noir




No. 1690
Gray Mix



No. 1691
Quartz



No. 1692
Wheat



No. 1694
Blue Topaz



No. 1695
Amethyst




No. 1696
Thistle



No. 1697
Mulberry



No. 1698
Pearl



No. 1699
Quarry

Color samples are reproduced with reasonable accuracy. If match is critical call or write for actual samples. See special wall application note on page 9.

Designer Series & Fabricork Bulletin Boards

Designer Series Bulletin Boards

- ASTM-E 84 Flame Tunnel Test Class "A" Rating
- 100% polyester wall and panel fabric
- Available in 12 designer colors that will match or color coordinate with nearly every decor
- Soil and stain resistant
- Offered in laminated panel form, fabric with cork underlay, or fabric only for use as a wallcovering

Freight Class 70.

Number	Description	Maximum Length	Weight Lbs.
3100	Fabric on cork underlay - Cut to size		
3100A	Less than 200 sq. ft.	16'	1/2
3100B	200 sq. ft. or more	16'	1/2
3102	Fabric on cork underlay on 1/4" hardboard - 1/2" O.A.	16'	2
3102EW	Fabric on cork underlay on 1/4" hardboard with edges wrapped - 1/2" O.A.	16'	2
3104	Fabric on 7/16" fire retardant Duracore	12'	1
3104EW	Fabric on 7/16" fire retardant Duracore with edges wrapped	12'	1
3106	Designer Fabric only - Full Rolls	165'	1/8
3106A	Designer Fabric only - Cut to Size	165'	1/8

STANDARD SIZES: All Designer Series Bulletin Boards (except 3106) will be priced on the basis of 4' height and 1' increments in length. No. 3100 may be shipped oversize for cutting to exact size on job.


No. 3106 FABRIC ONLY: Cut to size will be billed on basis of 5' increments in height and 1' increments in length. Material is 66" wide. Lengths of rolls vary from 165' to 180'. Billing will be based on actual length shipped.

Cutting and Packing charges may apply.

No. 3102

No. 3102EW

No. 3104




Display & Exhibit Rails

No. 51 Economy Map & Display Rail

Installs on wood, metal trim or directly to wall. Rail is approx. 1" wide heavy-gauge extruded aluminum with 1/4" tan cork insert (unless otherwise specified). Available in 6, 8, 10, 12 and 16 foot lengths.

Weight per lineal foot 1/4 lb.

8' lengths and under can ship UPS or RPS.




No. 74 Deluxe Map & Display Rail

Extruded aluminum rail is 2" wide with 1-3/8" tan cork insert (unless otherwise specified). Can be screwed directly to wood, plaster or block walls. Available in 6'3", 8'6", 10'6", 12'6" and 17' lengths.

Weight per lineal foot 1/2 lb.

6'3" and 8'6" lengths can ship UPS or RPS.



No. 51 & 74 Map & Display Rails

No. 51 Number	No. 74 Number	Item	No. 51 Number	No. 74 Number	Item
51	74	Display Rail with insert	51RB	76RB	Roller Bracket
51D	74D	Display Rail without insert	51FH	76FH	Flag Holders
51C	76	Plastic Map Hooks	51ES	74ES	End Stops
51M	76M	Metal Map Hooks	52ES	75ES	Flat End Stops


No. 274 Snap-On Map Rail

Rail is approx. 2" wide. Determine location and install No. 277W map rail ground clips 16" O.C. Cut map rail to desired length and snap onto clips. Install accessories (see No. 74 above) and fasten optional No. 274ES end stops with 1-1/2" screws. Available in 8'6", 10'6", 12'6", 17'0" and 21'0" lengths.

One ground clip furnished for each 16" of map rail, plus one for every piece.

Weight per lineal foot 1/2 lb.
8'6" lengths can ship UPS or RPS.

No. 274



No. EDR Exhibit Rail

Features an F560 Dusk Blue Fabriccork tackable insert.

Mount with 3/4" flat head screws (furnished) or with your two sided tape.

One 12' long exhibit rail will display 16 pieces of 8-1/2" wide artwork.


An attractive and economical way of adding exhibit space.

Select display rail from Claridge

Cork, Fabriccork, Designer Fabric or Hook-Fab. Specify color for insert or we will furnish dusk blue as illustrated.

Single Packed Number	6-Packed Number	Length
EDR3	EDR3-6	3'
EDR4	EDR4-6	4'
EDR6	EDR6-6	6'
EDR8	EDR8-6	8'
EDR12	EDR12-6	12'


Weight is 1/2 lb. per lineal foot.



Number	Size (W x L)
WDR82-2	3" x 2'
WDR82-4	3" x 4'
WDR82-6	3" x 6'
WDR82-8	3" x 8'
WDR83-2	4" x 2'
WDR83-4	4" x 4'
WDR83-6	4" x 6'
WDR83-8	4" x 8'

No. 82 & 83 Wooden Display Rail

Wooden display rail furnished in Natural finish Oak. Other woods and finishes optional. Available in 2', 4', 6' and 8' lengths and two widths - approx. 3" with a 1-1/2" wide tackstrip and 4" with a 2-1/2" tackstrip. The tackable insert can complement a room's color scheme, while expanding bulletin board space. Rail mounts directly to wall and can be butted to door facing or corner moldings. Solid construction makes it invaluable for hanging boards, blueprints, maps, directories, etc. Furnished with WDR82ES and WDR83ES end stops for a finished look in any length. Optional No. 87 clips can be utilized for hanging small chalkboards, directories, etc., with keyhole hangers.



No. 94 Combination Map Rail and Clip Strip

Number	Length
CMR94-2	2'0"
CMR94-4	4'0"
CMR94-6	6'0"
CMR94-8	8'0"

Offers the combined utility of a clip strip and a display rail all in one. Rail is heavy-gauge extruded aluminum. No. 74 Map Rail accessories can be used on the Combination Rail. Factory installed clips on this rail are ideal for presentations using drawings, photographs, maps, etc.

Weight is approx. 1/2 lb. per lineal foot.

The 1-3/8" tackable display rail insert is available in standard bulletin board colors. Rail is approximately 3-1/4" wide overall.



Number	Length
HT79-2	2'0"
HT79-4	4'0"
HT79-6	6'0"
HT79-8	8'0"

No. 79 Hang-Tight Rail System

Weight is approx. 1 lb. per lin. ft.

Combines a standard map and display rail with a specially designed extrusion that firmly holds posters, pamphlets, blueprints, etc. securely in place, without tacking. To remove, simply pull up and out. Utilize tackable display rail insert for other materials.

Both the rail and the gripping mechanisms are made of heavy-gauge extruded aluminum. No. 74 Map Rail accessories are compatible with the Hang-Tight Rail System.

See pages 8-11 for materials and colors available.

Conference Room Chalkboards, Markerboards, Bulletin Boards and Combination Units

No. 210 Chalkboards, Markerboards and Combinations

No. 213 Bulletin Boards


Features:

- 2 Perimeter trim and chalkthrough are oak with dark finish. Also available with natural or medium finished oak.
- Writing surface can be LCS markerboard or Vitracite or Duracite chalkboard - see page 7 for colors available.
- Bulletin Boards available with Tan Nucork, Claridge cork, Fabricork, Designer fabric and Hook-Fab in colors shown on pages 8 - 11.
- Combination chalkboard/bulletin board units available with any of the above
- Chalkboards and markerboards have extruded aluminum map rail with bronze Duracolor finish
- Keyhole hangers furnished

Options:

- Genuine walnut wood with natural or oil finish or mahogany with natural or stain finish
- Custom match finishes
- Map Rail optional on bulletin boards and combination units

When ordering always specify type and color of chalkboard and bulletin board; plus, when ordering combination units, specify width of chalkboard and bulletin board and if chalkboard is to be on the right or left side.



**No. 210
Combination Unit**




Illustration shows corner section of chalkthrough and perimeter trim.



**No. 210
LCS Markerboard**

Chalkboards

Number	Size	Weight Lbs.
	High-Wide	
210	4' x 4'	64
210A	4' x 6'	96
210B	4' x 8'	128
210C	4' x 10'	160
210D	4' x 12'	192

Bulletin Boards

Number	Size	Weight Lbs.
	High-Wide	
213	4' x 4'	48
213A	4' x 6'	72
213B	4' x 8'	96
213C	4' x 10'	120
213D	4' x 12'	144

Combination Units

Number	Size	Weight Lbs.
	High-Wide	
210E	4' x 4'	80
210F	4' x 6'	120
210G	4' x 8'	160
210H	4' x 10'	200
210K	4' x 12'	240

Claridge Deluxe Series 700W Wood Frame Bulletin Boards

700W Bulletin Boards

Number	Size	Weight Lbs.*
	High-Wide	
750	2'0" x 3'0"	18
751	3'0" x 4'0"	36
752	3'0" x 5'0"	45
753	3'0" x 6'0"	54
754	3'0" x 8'0"	72
757	4'0" x 4'0"	48
758	4'0" x 5'0"	60
759	4'0" x 6'0"	72
760	4'0" x 8'0"	96



Features:

- Framed with 1 3/4" oak with natural finish
- Tackable panel available with Claridge cork, Fabricork, Designer fabric or Hook-Fab. See pages 8 - 11
- Factory assembled with keyhole hangers for easy installation

Options:

- Oak with medium or dark finish
- Genuine walnut with natural or oil finish
- Mahogany with natural or stain finish

Always specify type of frame - oak, walnut or mahogany and finish required, and type and color of bulletin board.

Natural finished oak will be furnished unless otherwise specified.


*Weight given is for Claridge cork. Deduct 1 lb. per sq. ft. for Fabricork, Hook-Fab and Designer fabric.

No. 600 & 601 Profile Markerboards

10110/CLC
BuyLine 3119

Features:

- White LCS porcelain enamel steel markerboard panels, approx. 1/2" O.A.



- Round or square corners
- Black or white T-edge trim (Specify color of trim required. Black is furnished if no color is specified.)
- Barbed "T" trim fits into panel groove
- Smooth, sleek, frameless appearance
- Round corners have a 3" radius

Round Corner Number	Square Corner Number	Size H-W	Wt. Lbs.
†600	†601	2' x 3'	18
†600A	†601A	3' x 4'	36
600B	601B	4' x 4'	48
600C	601C	4' x 6'	72
600D	601D	4' x 8'	96

- Hangers included

Options:

- 12" magnetic chalk-trough

†Indicates UPS or RPS shipment. Freight class 70.

Wood Framed & Factory Built Units

Wood Framed Chalkboards, Markerboards & Bulletin Boards and Factory Built Units with Radius Corners

Factory Built Wood Frame Units with Radius Corners

Features:

- Radius corner frame, solid oak with natural, medium or dark finish (Natural finish will be furnished if no other finish is specified.)
 - Chalkboard and markerboard units have a predrilled 12" chalktrough
 - Bulletin board units have perimeter trim only
 - Series 2500 and 2600 units have a 1" face and a 1-1/4" deep frame
 - Series 2700 and 2900 units have a 1-3/4" face and a 3/4" deep frame
 - LCS Markerboard and Vitracite or Duracite Chalkboard colors on page 7
 - Bulletin Boards available in Tan Nucork, Claridge Cork, Fabricork, Hook-Fab or Designer Fabric. See pages 8 - 11
 - Keyhole hangers furnished

Options:

- Solid walnut with natural or oil finish or solid mahogany with natural or stain finish
- Z bar hangers for the top of the board with rubber bumpers for the bottom are optional


Always specify type and color of chalkboard, markerboard and bulletin board.




**Series 2600
Type CO-RC
Bulletin Board**



**Series 2700
Type CO-RC
Bulletin Board**



**Series 2500
Type A-RC
Markerboard**



**Series 2900
Type A-RC
Chalkboard**



Corner section of Series 2500 and 2600 units.



Corner section of Series 2700 and 2900 units.

Series 2500 & 2900 Type A and 2600 & 2700 Type CO

Type A Number	Type CO Number	Type A Number	Type CO Number	Size (H-W)	Weight Lbs.
†2523	†2623	†2923	†2723	2' x 3'	13
†2534	†2634	†2934	†2734	3' x 4'	27
2544	2644	2944	2744	4' x 4'	36
2545	2645	2945	2745	4' x 5'	45
2546	2646	2946	2746	4' x 6'	54
2548	2648	2948	2748	4' x 8'	72

†Indicates UPS or RPS shipment. Freight class 70.

SAS Space Arranging Systems

Features:

- Heavy-duty double barrel hinge for greater flexibility
- A full 360° rotation of the panel
- Can be arranged in practically any configuration
- Free-standing and wall-attached types
- Panels are framed in sturdy 1/8" thick satin anodized extrusions
- Honeycomb core, approx. 2" thick, adds strength without needless weight
- Panels available with Vitracite chalkboard, LCS markerboard, Clarige cork, Fabricork, Designer Fabric or Hook-Fab tackboard, or a combination of both

O.A. height 6'5", including casters

SAS panels include:

- A caster on one end
- A stabilizer foot with two casters on the other end
- A hinge for joining panels together

Options:

- Modular standards for attaching SAS accessories shown at right directly to the panel, available for one side or both - See page 23 for accessories
- Wall hinge for attaching panel to wall
- SAS stabilizer foot (Panels come with one stabilizer foot; if additional feet are required, they must be ordered separately. For use as a single panel an additional stabilizer foot will be required.)



Illustration shows three standard SAS panels 6' high x 4' wide.

SAS Panels

Vitracite Panel Number	Designer Fabric Panel Number	Fabricork Panel Number	Cork Panel Number	Hook-Fab Panel Number	LCS Panel Number	Panel Size H-W	Approx. Weight
SAS64V	SAS64DE	SAS64F	SAS64	SAS64H	SAS64L	6' x 4'	200 lbs.
SAS66V	SAS66DE	SAS66F	SAS66	SAS66H	SAS66L	6' x 6'	225 lbs.
SAS68V	SAS68DE	SAS68F	SAS68	SAS68H	SAS68L	6' x 8'	250 lbs.

Note: 6' and 8' panels with markerboard or chalkboard will be made up with the top 4' section of chalkboard and the bottom 2' section of Fabricork vinyl. Specify Color. Freight Class 85.

Premiere Room Dividers

Features:

- Constructed to withstand constant use, panels are framed in extruded aluminum channels and are securely fastened to the perimeter frames
- Panels available with LCS markerboard, Duracite or Vitracite chalkboard, and Fabricork, Designer fabric or Hook-Fab bulletin board
- Aluminum parts have etched and anodized satin finish
- 2 1/2" carpet casters, 2 lock and 2 non-lock for stability and ease of movement

Overall height of dividers is 6'5"

Two lengths - 6' 0-1/2" and 8' 0-1/2". Always specify which size is desired.



No. 1602A unit shown with LCS Markerboard and a Fabricork kick panel below. Complete with chalktrough and map rail.

Premiere Room Dividers

BASIC UNIT No Standards or Accessories	Panel Length	
	6' 0-1/2" Number	8' 0-1/2" Number
Duracite chalkboard both sides	1602*	1612*
Duracite chalkboard one side, Fabricork other side	1602A	1612A
Fabricork both sides	1602B	1612B
Vitracite chalkboard both sides	1602C*	1612C*
Vitracite chalkboard one side, Fabricork other side	1602D	1612D
LCS markerboard surface both sides	1602F*	1612F*
LCS markerboard surface one side, Fabricork other side	1602G	1612G
Hook-Fab both sides of panel	1602H	1612H
Designer fabric	1602K	1612K


*1602, 1612, 1602C, 1612C, 1602F, and 1612F have a Fabricork kick panel.

Specify color required.


6' units weigh approx. 190 lbs; 8' units approx 250 lbs. Freight class 85.

No. 80 Partition Hanger Clips

Spring steel clips fit over the top of any two inch thick partitions. Boards with keyhole hangers can be hung on them or the small prongs can go underneath the board trim.



CLARIDGE SERIES 4 - FACTORY BUILT TACKBOARD UNITS TRIM SECTION DETAILS



SCALE: NOT TO SCALE

Section:		Project:	Color Selection
J.N.R. Services 2529 - 54th Ave NE Tacoma, WA 98422 Phone: (253) 952-6664 Fax: (253) 952-6938			
		Architect:	Markerboard:
		Contractor:	Tackboard:
			Alum. Trim: Clear Satin Anodized
File:	Date:	Drw #	By: